HJ2 6 30-42/

		A	B	C	Đ	E	F	討
出した	A				5 ×	0	× 0	0x2
	B	×		0	9 ×	X	× @	9 /
	C	×	×		5 ×	0	×®	1=6
	D	×	X	×		0	x _Ø	5 ×/26
	E	O	©	0	©	1	X Ø	6 4
	Fi	0			®X	0		® 3
	計	ØχZ	32	4:3	13/2	04	00	0/2

全12通形为 BからBが出に

E -> 3通·X

7 7 BCDE=FGHIJ KL KL:× → A~J. 10人() なりは" 7. ABCD K≠EGHIL FJ
40
40 ·· K, L = 0 -> A~E: 40, F~J:40 版| BX > ACDK = EGHIL FJ ILC. 2 ABCD 4, O, EXELOTELLX 3~5 省 病

+ 3個。場合





 $1 a=b \Rightarrow C$ $2 a>b \Rightarrow a$ $3 a<b\Rightarrow b$

3ブルーアバ分け、量3

HJ2 9 454.

	/	Z	3	4	5	6	7	8	9	
A	×	60	4	×	x	/ ×	470	×	×	×3枚人
B		5 ×	*	2		×	5×	8 🗙		
C		6 ×	34 4 X	×		3 △ 40	6 %	0		

空網中明







1:0の記3→2進数

32 16 8 4 2 1

② 大(1)的)孤的心的了这字 英单語

100000 10101 11101 11110 10101 1100

BCDE FAHIJ KLMNO



HJ2 2 SK

- Sk
- □ ∆:SK
- □ △ X :Sk

整列&整列6整列-二 整列

:SK